

SAFETY DATA SHEET



Date Prepared : 07/07/2015
SDS No : 9110

CROSSLINK

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: CROSSLINK
GENERAL USE: Tank Wash Booster
PRODUCT CODE: 9110

MANUFACTURER

JOHN-HENRY Enterprises, Inc.
2813 Richland Ave
Metairie, LA 70002
Emergency Contact: H. Zeller
Emergency Phone: 504-888-8989

24 HR. EMERGENCY TELEPHONE NUMBERS

US/Canada: 800-535-5053

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Corrosive to Metals, Category 2

Health:

Eye Corrosion, Category 1
Skin Corrosion, Category 1

GHS LABEL

CORROSIVE: Causes severe irritation and can cause burns and permanent damage to eyes. Causes moderate to severe irritation and possibly burns to skin. Dusts, mists or spray can irritate eyes, nose, throat, and respiratory system. Ingestion can cause severe irritation, burns and tissue damage to mouth, throat, esophagus, and stomach. May be harmful or fatal if swallowed.



CORROSIVE

SIGNAL WORD: DANGER**HAZARD STATEMENTS**

H318: Causes serious eye damage.
H314: Causes severe skin burns and eye damage.
15866NUF: Harmful or fatal if swallowed.
H290: May be corrosive to metals.

PRECAUTIONARY STATEMENTS**General:**

P102: Keep out of reach of children.
P103: Read label before use.
1193JFS0: Avoid contact with acids and ammonia
P232: Protect from moisture.

Prevention:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
2828VC61: Avoid eye contact
P335: Brush off loose particles from skin.
P262: Do not get in eyes, on skin, or on clothing.
P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P331: Do NOT induce vomiting.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

75990X3S: Keep only in original container. Store in a well-ventilated place. Keep container tightly closed.

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: Causes severe irritation and damage to eyes and can cause severe irritation and burns to skin. Dusts can cause moderate to severe irritation to eyes, nose, and throat. Ingestion will cause severe irritation and damage (corrosion of tissues) mouth, throat, esophagus, and stomach and can be fatal.

POTENTIAL HEALTH EFFECTS

EYES: Corrosive, contact causes severe eye burns.

SKIN: Corrosive, causes skin burns and severe irritation

INGESTION: Causes irritation, burns, and damage to mouth, throat, esophagus, and stomach. May be fatal if swallowed.

INHALATION: Dust is highly irritating to eyes and respiratory tract. Spray or mist from product solutions may be severely irritating.

COMMENTS: Contains SODIUM HYDROXIDE or CAUSTIC SODA. Corrosive to eyes and skin. Dusts may be severely irritating to eyes, respiratory system, and moist skin. Can be fatal if swallowed. Reacts with soft metals such as aluminum and releases hydrogen, a flammable gas. Reacts violently with concentrated acids.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Sodium Hydroxide	20 - 25	1310-73-2
Synthetic Sodium Silicate	75 - 80	6834-92-0

4. FIRST AID MEASURES

EYES: Treat eye contact and a medical emergency (call 911). Gently hold eyelids open and immediately flush eyes with water for at least 15 minutes or until pain eases. Remove contact lenses if possible. Cover eyes loosely with sterile dressing and SEEK IMMEDIATE MEDICAL ATTENTION.

SKIN: Remove contaminated clothing and footwear. Flush off with copious amounts of running water. Seek medical attention for burns or if irritation persists or worsens.

INGESTION: Get immediate emergency medical attention (Call 911). Rinse mouth with water. Do not induce vomiting unless instructed to do so by poison center or physician. Give water, milk, or dilute citrus juice unless unconscious or convulsing. Keep patient warm, quiet, and comfortable and treat for shock.

INHALATION: If affected by vapors, spray or mist, move to fresh air. Seek medical attention if symptoms persist or worsen. If breathing is difficult, give oxygen and get immediate medical attention.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Severe irritation or pain, blurring and loss of vision, permanent damage.

SKIN: Severe irritation and burns.

INGESTION: Harmful or fatal if swallowed. Can cause irritation, gastric upset, burns and damage (corrosion) to mouth, throat, esophagus and gastrointestinal tract.

INHALATION: Dusts, spray or mists can irritate eyes, nose, throat, and respiratory tract.

NOTES TO PHYSICIAN: Treat symptomatically. If burns are present, treat for thermal burns.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Not applicable - Non-combustible powder

EXTINGUISHING MEDIA: Not applicable - powders are not combustible

HAZARDOUS COMBUSTION PRODUCTS: Not Applicable

EXPLOSION HAZARDS: None

FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus when fighting chemical fires.

HAZARDOUS DECOMPOSITION PRODUCTS: Will not occur

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Wear recommended PPE. Collect spilled product for reuse or disposal. Rinse spill area with water

LARGE SPILL: Wear appropriate PPE. Sweep or scoop up spilled material and store in sealable intact containers for reuse or disposal. Rinse spill area with water.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Do not discharge to or allow to enter surface waterways or public sewers

7. HANDLING AND STORAGE

HANDLING: Avoid contact with eyes and skin. Avoid exposure to dusts, mists or sprays. Read and understand product label and SDS before handling any chemical. Always wear recommended personal protective equipment. Follow label cautions and instructions.

STORAGE: Keep in sealed, original containers. Store in a dry area away from acids, ammonia, and amines.

COMMENTS: Use caution when adding product to water. Add slowly with good agitation. Do not add to hot water (can cause solution to boil over).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE GUIDELINES**

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
			EXPOSURE LIMITS	
			OSHA PEL	
Chemical Name			ppm	mg/m ³
Sodium Hydroxide			TWA	2

ENGINEERING CONTROLS: Maintain sufficient ventilation in storage and use areas to prevent the accumulation of dusts or product vapors, spray, or mists. Provide local exhaust for enclosed areas.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses or goggles and face shield when handling.

SKIN: Wear rubber, latex, or other chemical resistant gauntlet gloves and boots

RESPIRATORY: Use with adequate ventilation. Wear a NIOSH approved multi-purpose air purifying respirator where dusts or solution vapors, mists or spray are excessive or exceed exposure limits.

WORK HYGIENIC PRACTICES: Wash thoroughly before eating, drinking, smoking, or using the facilities after handling any chemical product.

OTHER USE PRECAUTIONS: Working eyewash stations and safety showers should be located in or near all areas where chemicals are stored or used.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: none

APPEARANCE: white granular powder

pH: > 13

Notes: (5% in water)

PERCENT VOLATILE: less than 0.1% at 25 deg C

FLASH POINT AND METHOD: Not applicable - non-combustable powder

VAPOR PRESSURE: Not Applicable

VAPOR DENSITY: Not Applicable

BOILING POINT: Not Applicable

FREEZING POINT: Not Applicable

SOLUBILITY IN WATER: ~ 20 %

EVAPORATION RATE: Not Applicable

SPECIFIC GRAVITY: Not Applicable

10. STABILITY AND REACTIVITY

REACTIVITY: Reactive with acids. Reacts with soft metals to release hydrogen.

HAZARDOUS POLYMERIZATION: No

POSSIBILITY OF HAZARDOUS REACTIONS: Reacts with metals such as aluminum or zinc (releases hydrogen, a flammable gas). Reacts vigorously with concentrated acids (generating heat and steam)

INCOMPATIBLE MATERIALS: Concentrated acids, metals such as aluminum or zinc, ammonia and amines

11. TOXICOLOGICAL INFORMATION

ACUTE

NOTES: No toxicity data available for product

EYE EFFECTS: Severe pain, corrosion of tissues

SKIN EFFECTS: Severe irritation and burns, corrosion of tissues, permanent damage.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No data available.

COMMENTS: This product could be expected to produce significant ecotoxicity upon exposure to aquatic systems and organisms.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Unused or undiluted product constitutes a hazardous waste. Follow all appropriate local, state, and Federal disposal regulations. Collect and neutralize spent solutions and discharge to a waste water treatment facility.

FOR LARGE SPILLS: See Section 6

EMPTY CONTAINER: Triple rinse container thoroughly with water and recycle.

RCRA HAZARD CLASS: D002 - Corrosive

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: UN3262, Corrosive Solid, Basic, Inorganic, N.O.S. (contains sodium hydroxide), 8, I

REPORTABLE QUANTITY (RQ) UNDER CERCLA: greater than 5000 lbs (as supplied)

VESSEL (IMO/IMDG)

SHIPPING NAME: UN2923, CORROSIVE SOLID, N.O.S (contains Sodium Hydroxide), 8, PG II

15. REGULATORY INFORMATION

UNITED STATES

DOT LABEL SYMBOL AND HAZARD CLASSIFICATION

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Acute health hazard (eye and skin irritation/corrosion), Reactivity

FIRE: No **PRESSURE GENERATING:** No **REACTIVITY:** Yes **ACUTE:** Yes **CHRONIC:** No

313 REPORTABLE INGREDIENTS: Sodium Hydroxide

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Wt. %	CERCLA RQ
Sodium Hydroxide	20 - 25	1,000

CERCLA RQ: greater than 5000 lbs (as supplied)

EPA

EPA RQ INGREDIENT: Sodium Hydroxide

EPA RQ PRODUCT: greater than 5000 lbs (as supplied)

TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
Sodium Hydroxide	1310-73-2

TSCA STATUS: All other ingredients are included on the TSCA Inventory or are exempt

CALIFORNIA PROPOSITION 65: Contains no substances known to the State of California to cause cancer, birth defects, or reproductive harm.

16. OTHER INFORMATION

REASON FOR ISSUE: Convert to GHS format


APPROVED BY: H. Zeller

PREPARED BY: CSCC **Date Prepared:** 07/07/2015

HMIS RATING

HEALTH	<input type="checkbox"/>	3
FLAMMABILITY		0
PHYSICAL HAZARD		0
PERSONAL PROTECTION	<input checked="" type="checkbox"/>	X

NFPA CODES



GENERAL STATEMENTS: Amounts specified herein (other than for regulatory purposes) are typical and do not represent a specification.

Unspecified or unlisted components are proprietary, do not present a hazard at levels present, are not hazardous, and/or are present at levels below reportable limits. Exact percentage values for all components are proprietary in accordance with 29 CFR 1910.1200(i)

MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, no liability whatsoever is assumed for its accuracy and/or completeness. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown health or physical hazards and should be used with caution. Certain hazards are described herein, but no guarantee is made that these are the only hazards associated with the material that exist.