

SAFETY DATA SHEET



Date Prepared : 07/03/2015

SDS No : 5606

TC-440

1. PRODUCT AND COMPANY IDENTIFICATION**PRODUCT NAME:** TC-440**PRODUCT CODE:** 560**MANUFACTURER**

JOHN-HENRY Enterprises, Inc.

2813 Richland Ave

Metairie, LA 70002

Emergency Contact: H. Zeller**Emergency Phone:** 504-888-8989**2. HAZARDS IDENTIFICATION****GHS CLASSIFICATIONS****Health:**

Eye Corrosion, Category 1

Skin Corrosion, Category 1A

Environmental:

Acute Hazards to the Aquatic Environment, Category 3

Physical:

Corrosive to Metals, Category 1

GHS LABEL

CORROSIVE: Causes severe irritation and can cause burns and permanent damage to eyes. Causes moderate to severe irritation and possibly burns to skin. Mists and spray can irritate eyes, nose, throat, and respiratory system. Ingestion can cause severe irritation, burns and tissue damage to mouth, throat, esophagus, and stomach. May be harmful or fatal if swallowed.



CORROSIVE

SIGNAL WORD: DANGER**HAZARD STATEMENTS**

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H402: Harmful to aquatic life.

PRECAUTIONARY STATEMENTS**General:**

P102: Keep out of reach of children.

P103: Read label before use.

Prevention:

1193JFS0: Avoid contact with acids and ammonia

2828VC61: Avoid eye contact

P273: Avoid release to the environment.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P262: Do not get in eyes, on skin, or on clothing.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Storage:

75990X3S: Keep only in original container. Store in a well-ventilated place. Keep container tightly closed.

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: Causes severe irritation to skin. Causes severe irritation and damage to eyes. Mists and vapors can cause irritation to eyes, nose, and throat. Ingestion can damage mouth, throat, and other tissues and may be fatal.

POTENTIAL HEALTH EFFECTS

EYES: Corrosive to the eyes and may cause severe damage including tissue destruction and/or blindness.

SKIN: Contact can cause severe skin irritation and possibly burns.

INGESTION: Causes severe irritation, burns, and damage to mouth, throat, esophagus, and stomach. May be fatal if swallowed

INHALATION: Mists or sprays can be moderately to severely irritating to eyes and respiratory tract.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | Wt. % | CAS |
|--|-------|-----------|
| Sodium Hydroxide | < 25 | 1310-73-2 |
| Other ingredients are not hazardous or are present at levels that do not present a significant hazard. | > 75 | 000-00-1 |

4. FIRST AID MEASURES

EYES: Treat eye contact and a medical emergency. Gently hold eyelids open and immediately flush eyes with water for at least 15 minutes or until pain eases. Remove contact lenses if possible. Cover eyes loosely with sterile dressing and SEEK IMMEDIATE MEDICAL ATTENTION.

SKIN: Remove contaminated clothing and footwear. Flush off with copious amounts of running water. Seek medical attention for burns or if irritation persists or worsens.

INGESTION: Get immediate emergency medical attention (Call 911). Rinse mouth with water. Do not induce vomiting unless instructed to do so by poison center or physician. Give water, milk, or dilute citrus juice unless unconscious or convulsing. Keep patient warm, quiet, and comfortable and treat for shock.

INHALATION: If affected by vapors, spray or mist, move to fresh air. Seek medical attention if symptoms persist or worsen. If breathing is difficult, give oxygen and get immediate medical attention.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Severe irritation or pain, tearing, redness, loss of vision. May cause burns to and around eyes.

SKIN: Causes moderate to severe irritation and possibly burns.

INGESTION: Harmful or fatal if swallowed. Can cause irritation, gastric upset, burns and damage (corrosion) to mouth, throat, esophagus and gastrointestinal tract.

INHALATION: Spray or mists can severely irritate eyes, nose, throat, and respiratory tract causing coughing, sneezing, difficulty breathing, etc.

NOTES TO PHYSICIAN: Treat symptomatically. If burns are present, treat for thermal burns.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Not Applicable

GENERAL HAZARD: Concentrated base. Corrosive to eyes, skin, and metals

EXTINGUISHING MEDIA: Not applicable - not combustible

HAZARDOUS COMBUSTION PRODUCTS: Alkaline fumes

EXPLOSION HAZARDS: Containers can burst if exposed to flames or high temperatures.

FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus when fighting chemical fires. Use water fog or spray to cool containers.

HAZARDOUS DECOMPOSITION PRODUCTS: Will not occur

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Remove uninvolved personnel. Contain and absorb spill. Avoid runoff into storm sewers and ditches which lead to waterways. Rinse spill area with water. Dispose of contaminated absorbent material properly.

LARGE SPILL: Wear appropriate PPE. Remove uninvolved personnel from area. Stop flow. Contain spill and keep from entering sewer or surface waterways. Collect spill into suitable, properly labeled containers for use or disposal. Rinse spill area with water.

7. HANDLING AND STORAGE

HANDLING: Avoid contact with eyes and skin. Avoid exposure to mists or sprays. Read and understand product label and SDS before handling any chemical. Always wear recommended personal protective equipment. Follow label cautions and instructions.

STORAGE: Store in original containers in well ventilated area. Keep containers closed when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE GUIDELINES**

| OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200) | | | | |
|---|--|--|-----------------|-------------------|
| | | | EXPOSURE LIMITS | |
| | | | OSHA PEL | |
| Chemical Name | | | ppm | mg/m ³ |
| Sodium Hydroxide | | | TWA | 2 |

ENGINEERING CONTROLS: Maintain sufficient ventilation in storage and use areas to prevent the accumulation of product vapors, spray, or mists. Provide local exhaust for enclosed areas.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses or goggles and face shield when handling.

SKIN: Wear chemically resistant outer garments, impermeable boots and gloves when handling.

RESPIRATORY: Use with adequate ventilation. Wear a NIOSH approved multi-purpose air purifying respirator where vapors, mists or spray are excessive or exceed exposure limits.

WORK HYGIENIC PRACTICES: Wash thoroughly before eating, drinking, smoking, or using the facilities after handling any chemical product.

OTHER USE PRECAUTIONS: Working eyewash stations and safety showers should be located in or near all areas where chemicals are stored or used.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: none

APPEARANCE: clear, colorless liquid

pH: > 13.0

Notes: (5% in water)

PERCENT VOLATILE: 70 - 80% (wt)

FLASH POINT AND METHOD: No flashpoint

VAPOR PRESSURE: Same as water (approximately)

VAPOR DENSITY: Same as water (approximately)

BOILING POINT: greater than 212 deg F

FREEZING POINT: less than 32 deg F (0 deg C)

SOLUBILITY IN WATER: Complete in all proportions.

EVAPORATION RATE: Same as water (approximately)

SPECIFIC GRAVITY: 1.17 to 1.19

10. STABILITY AND REACTIVITY

REACTIVITY: Reactive with acids. Reacts with soft metals to release hydrogen.

HAZARDOUS POLYMERIZATION: No

STABILITY: Stable under recommended storage conditions

POSSIBILITY OF HAZARDOUS REACTIONS: Reacts with metals such as aluminum or zinc (releases hydrogen, a flammable gas). Reacts vigorously with concentrated acids (generating heat and steam). Reacts with ammonia and amines and forms toxic fumes.

INCOMPATIBLE MATERIALS: Concentrated acids, metals such as aluminum or zinc, ammonia and amines

11. TOXICOLOGICAL INFORMATION

ACUTE

NOTES: No toxicity data available for product

EYE EFFECTS: Severe pain, corrosion of tissues

SKIN EFFECTS: Moderate to severe irritation, burns, damage to underlying tissues, and scarring.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No data

COMMENTS: This product could be expected to produce significant ecotoxicity upon exposure to aquatic systems and organisms.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Unused or undiluted product constitutes a hazardous waste. Follow all appropriate local, state, and Federal disposal regulations. Collect and neutralize spent solutions and discharge to a waste water treatment facility.

FOR LARGE SPILLS: See Section 6

EMPTY CONTAINER: Rinse container thoroughly with water and recycle.

RCRA/EPA WASTE INFORMATION: Unused or undiluted product would constitute an RCRA regulated hazardous waste due to corrosivity (CORROSIVE WASTE - D002, pH equal to or greater than 12.5)

14. TRANSPORT INFORMATION**DOT (DEPARTMENT OF TRANSPORTATION)**

PROPER SHIPPING NAME: UN1824, SODIUM HYDROXIDE SOLUTION, N.O.S., 8, PG II

REPORTABLE QUANTITY (RQ) UNDER CERCLA: 4345 lbs (as supplied)

VESSEL (IMO/IMDG)

SHIPPING NAME: UN1824, SODIUM HYDROXIDE SOLUTION, N.O.S., 8, PG II

EmS: F-A, S-B

15. REGULATORY INFORMATION**UNITED STATES****DOT LABEL SYMBOL AND HAZARD CLASSIFICATION**

Corrosive

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Acute health hazard (eye and skin irritation/corrosion)

FIRE: No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

| Chemical Name | Wt.% | CERCLA RQ |
|------------------|------|-----------|
| Sodium Hydroxide | < 25 | 1,000 |

CERCLA RQ: 4345 lbs (as supplied)

EPA

EPA RQ INGREDIENT: Sodium Hydroxide

EPA RQ PRODUCT: 4345 lbs (as supplied)

TSCA (TOXIC SUBSTANCE CONTROL ACT)

| Chemical Name | CAS |
|------------------|-----------|
| Sodium Hydroxide | 1310-73-2 |

TSCA STATUS: All other ingredients are included on the TSCA Inventory or are exempt

CALIFORNIA PROPOSITION 65: Contains no substances known to the State of California to cause cancer, birth defects, or reproductive harm.

16. OTHER INFORMATION


APPROVED BY: H. Zeller

PREPARED BY: CSCC **Date Prepared:** 07/03/2015

HMIS RATING

| | | |
|---------------------|-------------------------------------|---|
| HEALTH | <input type="checkbox"/> | 3 |
| FLAMMABILITY | <input type="checkbox"/> | 0 |
| PHYSICAL HAZARD | <input type="checkbox"/> | 0 |
| PERSONAL PROTECTION | <input checked="" type="checkbox"/> | X |

NFPA CODES



GENERAL STATEMENTS: Amounts specified herein (other than for regulatory purposes) are typical and do not represent a specification. Unspecified or unlisted components are proprietary, do not present a hazard at levels present, are not hazardous, and/or are present at levels below reportable limits. Exact percentage values for all components are proprietary in accordance with 29 CFR 1910.1200(i).

MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, no liability whatsoever is assumed for its accuracy and/or completeness. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown health or physical hazards and should be used with caution. Certain hazards are described herein, but no guarantee is made that these are the only hazards associated with the material that exist.