

SAFETY DATA SHEET



Date Prepared : 05/30/2015

SDS No : AB-Xtreme

Date Revised : 06/09/2015

Revision No : 1

AB-XTREME

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: AB-XTREME**GENERAL USE:** Aluminum Brightener and Restorer**PRODUCT CODE:** 5418**MANUFACTURER**

JOHN-HENRY Enterprises, Inc.

2813 Richland Ave

Metarie, LA 70002

Emergency Contact: H. Zeller**Emergency Phone:** 504-888-8989**24 HR. EMERGENCY TELEPHONE NUMBERS**

US/Canada: 800-535-5053

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS**Health:**

Eye Corrosion, Category 1

Skin Corrosion, Category 1

Respiratory Tract Irritation, Category 2

Environmental:

Acute Hazards to the Aquatic Environment, Category 2

GHS LABEL

CORROSIVE. Causes severe irritation and burns to skin. Causes severe burns and damage to eyes. Mists and spray can be irritating to eyes, nose, throat, and respiratory tract. Harmful or fatal if swallowed.



CORROSIVE



Irritant

SIGNAL WORD: DANGER**HAZARD STATEMENTS**

H314: Causes severe skin burns and eye damage.

H290: May be corrosive to metals.

H301: Toxic if swallowed.

H333: May be harmful if inhaled.

PRECAUTIONARY STATEMENTS**Prevention:**

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P285: In case of inadequate ventilation wear respiratory protection.

75990X3S: Keep only in original container. Store in a well-ventilated place. Keep container tightly closed.

EMERGENCY OVERVIEW**IMMEDIATE CONCERNS:** Causes severe irritation and reversible burns to skin. Causes severe irritation and damage to eyes. Mists and vapors can cause irritation to eyes, nose, and throat. Ingestion can cause moderate to severe irritation and burns to mouth, throat, and gastrointestinal tract. May be fatal if swallowed.**POTENTIAL HEALTH EFFECTS**

EYES: Corrosive to the eyes and may cause severe damage including tissue destruction and/or blindness.

SKIN: Contact causes severe skin irritation and possible burns. Development of burns and ulcers may be delayed.

INGESTION: Causes severe irritation, burns, and damage to mouth, throat, esophagus, and stomach. May be fatal if swallowed

INHALATION: Mists or sprays can be moderately to severely irritating to eyes and respiratory tract.

COMMENTS: Contains HYDROFLUORIC ACID. Toxic by inhalation, skin contact, and if swallowed. Causes severe burns and permanent injury to eyes. Causes burns to skin. Burns may be delayed and exposure may cause damage to tissue and bone in the contact area. Inhalation of vapors is irritating to the respiratory system and can cause pulmonary edema and pneumonitis.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS
Hydrofluoric Acid	< 20	7664-39-3
Phosphoric Acid	< 20	7664-38-2
Glycol ether	< 3	Proprietary
Other ingredients are not hazardous or are present at levels that do not present a significant hazard.	> 60	mixture

4. FIRST AID MEASURES

EYES: Treat eye contact and a medical emergency. Gently hold eyelids open and immediately flush eyes with water for at least 15 minutes or until pain eases. Remove contact lenses if possible. Cover eyes loosely with sterile dressing and SEEK IMMEDIATE MEDICAL ATTENTION.

SKIN: Remove contaminated clothing and footwear. Flush off with copious amounts of running water. Treat exposed areas with a cold solution containing 1% benzethonium chloride for at least thirty minutes. Seek medical attention if irritation persists, worsens, or if burns and ulcers develop.

INGESTION: Get immediate medical attention (call 911). Do not induce vomiting unless instructed to do so by poison center or physician. Give patient water or milk unless unconscious or convulsing. Keep patient warm and comfortable. Treat for shock.

INHALATION: If affected by spray or mist, move to fresh air. Seek medical attention if symptoms persist or worsen.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Severe irritation or pain, blurring and loss of vision, permanent damage.

SKIN: Causes moderate to severe irritation and burns. Development of burns and ulcers may be delayed.

INGESTION: Harmful or fatal if swallowed. Can cause irritation, gastric upset, burns and damage (corrosion) to mouth, throat, esophagus and gastrointestinal tract.

INHALATION: Spray or mists can irritate eyes, nose, throat, and respiratory tract.

NOTES TO PHYSICIAN: This product contains hydrofluoric acid. Take appropriate protective and preventive measures.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Not Applicable - Water based product with no flashpoint.

EXTINGUISHING MEDIA: Not applicable - water based product. After water has evaporated, use water (fog or spray) or chemical foam on burning solids.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon and hydrocarbon residues, and acidic fumes.

EXPLOSION HAZARDS: Containers can burst if exposed to flames or high temperatures. Cool with water spray.

FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus when fighting chemical fires. Use water fog or spray to cool containers and knock down acidic vapors.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Ventilate the area and remove uninvolved personnel. Contain and absorb spill. Avoid runoff into storm sewers and ditches which lead to waterways. Rinse spill area with water or dilute alkaline solution. Dispose of contaminated absorbent material properly.

LARGE SPILL: Wear appropriate PPE. Remove uninvolved personnel from and ventilate the area. Stop and contain flow and keep spilled material from entering sewer or surface waterways. Collect spilled material and store in suitable, properly labeled containers for use or disposal. Rinse spill area thoroughly with water or a dilute alkaline solution.

7. HANDLING AND STORAGE

HANDLING: Read and understand product label and SDS before handling any chemical. Always wear recommended personal protective

equipment. Follow label instructions.

STORAGE: Store in original containers in well ventilated area. Keep containers closed when not in use.

STORAGE TEMPERATURE: Store at temperatures below 100 deg F.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Hydrofluoric Acid	TWA	3		0.5			
	STEL						
Phosphoric Acid	TWA		1		1	NL	NL
	STEL				3	NL	NL
Glycol ether	TWA	50	240	20	97	NL	NL
	STEL					NL	NL

ENGINEERING CONTROLS: Maintain sufficient ventilation in storage and use areas to prevent the accumulation of product vapors, spray, or mists. Provide local exhaust for enclosed areas.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses or goggles and face shield when handling.

SKIN: Wear acid resistant outer garments, impermeable boots and gloves when handling.

RESPIRATORY: Use with adequate ventilation. Wear a NIOSH approved acid absorbing, air purifying respirator where mists or spray are excessive or exceed exposure limits.

WORK HYGIENIC PRACTICES: Wash thoroughly before eating, drinking, smoking, or using the facilities after handling any chemical product.

OTHER USE PRECAUTIONS: Working eyewash stations and safety showers should be located in or near all areas where chemicals are stored or used.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: Sharp, acidic

APPEARANCE: clear, colorless liquid

pH: less than 2 (5% solution)

PERCENT VOLATILE: 70 - 80% (wt)

FLASH POINT AND METHOD: Not applicable - water based product

FLAMMABLE LIMITS: Not Applicable

VAPOR PRESSURE: Same as water (approximately)

VAPOR DENSITY: Same as water (approximately)

BOILING POINT: 210 - 215 deg F

FREEZING POINT: less than 32 deg F (0 deg C)

SOLUBILITY IN WATER: Complete in all proportions.

EVAPORATION RATE: Same as water (approximately)

SPECIFIC GRAVITY: 1.08 to 1.12

VISCOSITY: Same as water (approximately)

(VOC): ~ 2.000

10. STABILITY AND REACTIVITY

REACTIVITY: Yes

HAZARDOUS POLYMERIZATION: No

POSSIBILITY OF HAZARDOUS REACTIONS: Reacts with metals (releases hydrogen, a flammable gas). Reacts vigorously with concentrated alkalis to generate acidic steam.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon and hydrocarbon residues, acidic fumes

INCOMPATIBLE MATERIALS: Concentrated alkalis and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Severe irritation, pain, burns, temporary or permanent loss of vision.

SKIN EFFECTS: Moderate to severe irritation, burns (immediate and delayed), scarring.

CARCINOGENICITY

Chemical Name	General Toxicity
Glycol ether	Confirmed animal carcinogen with unknown relevance to humans - Group A3

Notes: Contains no known or suspected carcinogens.

CORROSIVITY: Concentrated product is corrosive to skin, eyes, and metals.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No data

COMMENTS: Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic systems and organisms.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Unused or undiluted product constitutes a hazardous waste. Follow all appropriate local, state, and Federal disposal regulations. Surfactants and other organic components are biodegradable. Collect and neutralize spent solutions and discharge to a waste water treatment facility.

RCRA/EPA WASTE INFORMATION: Unused or undiluted product would constitute an RCRA regulated hazardous waste due to corrosivity (CORROSIVE WASTE - D002, pH equal to or greater than 12.5)

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: UN1970, Compound, cleaning liquid (contains hydrofluoric acid and phosphoric acid), 8, II

REPORTABLE QUANTITY (RQ) UNDER CERCLA: 500 pounds (product as supplied)

PLACARDS: Corrosive

LABEL: Corrosive

VESSEL (IMO/IMDG)

TECHNICAL NAME: Hydrofluoric acid solution, n.o.s. (contains phosphoric acid)

UN/NA NUMBER: UN1790

PRIMARY HAZARD CLASS/DIVISION: 8

SECONDARY HAZARD CLASS/DIVISION: 6.1

PACKING GROUP: II

PLACARDS: Corrosive, Toxic

LABEL: Corrosive, Toxic

15. REGULATORY INFORMATION

UNITED STATES

DOT LABEL SYMBOL AND HAZARD CLASSIFICATION



Corrosive

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**311/312 HAZARD CATEGORIES:** Corrosive**FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No**SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR370):** 500 lbs (as supplied)**313 REPORTABLE INGREDIENTS:** Hydrogen Fluoride (present as hydrofluoric acid)**EPCRA SECTION 313 SUPPLIER NOTIFICATION**

Chemical Name	Wt. %	CAS
Hydrofluoric Acid	< 20	7664-39-3

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Wt. %	CERCLA RQ
Hydrofluoric Acid	< 20	100
Phosphoric Acid	< 20	5,000

CERCLA RQ: 500 lbs (as supplied)**EPA****EPA RQ INGREDIENT:** Hydrogen fluoride (present as hydrofluoric acid)**EPA RQ PRODUCT:** 500 lbs**TSCA (TOXIC SUBSTANCE CONTROL ACT)**

Chemical Name	CAS
Hydrofluoric Acid	7664-39-3
Phosphoric Acid	7664-38-2
Glycol ether	Proprietary

TSCA STATUS: All ingredients are included on the TSCA Inventory or are exempt**CLEAN AIR ACT**


Chemical Name	Wt. %	CAS
Hydrofluoric Acid	< 20	7664-39-3

CALIFORNIA PROPOSITION 65: Contains no substances known to the State of California to cause cancer.**16. OTHER INFORMATION****REASON FOR ISSUE:** Convert to GHS format**APPROVED BY:** H. Zeller**PREPARED BY:** CSCC **Date Revised:** 06/09/2015**REVISION SUMMARY:** This SDS replaces the 05/30/2015 SDS. Revised: **Section 2:** COMMENTS. **Section 12:** COMMENTS.

HMIS RATING

HEALTH		3
FLAMMABILITY		0
PHYSICAL HAZARD		0
PERSONAL PROTECTION	X	

NFPA CODES



GENERAL STATEMENTS: Amounts specified herein (other than for regulatory purposes) are typical and do not represent a specification.

Unspecified or unlisted components are proprietary, do not present a hazard at levels present, are not hazardous, and/or are present at levels below reportable limits. Exact percentage values for all components are proprietary in accordance with 29 CFR 1910.1200(i)

MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, no liability whatsoever is assumed for its accuracy and/or completeness. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown health or physical hazards and should be used with caution. Certain hazards are described herein, but no guarantee is made that these are the only hazards associated with the material that exist.