

## SAFETY DATA SHEET



Date Prepared : 07/01/2015  
SDS No : 5718

## JOHN-HENRY 2C-321

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** JOHN-HENRY 2C-321  
**GENERAL USE:** Alkaline Truck Wash (Part 2 of Two Step Wash System)  
**PRODUCT CODE:** 5718

**MANUFACTURER**

JOHN-HENRY Enterprises, Inc.  
2813 Richland Ave  
Metairie, LA 70002  
**Emergency Contact:** H. Zeller  
**Emergency Phone:** 504-888-8989

**24 HR. EMERGENCY TELEPHONE NUMBERS**

US/Canada: 800-535-5053

## 2. HAZARDS IDENTIFICATION

**GHS CLASSIFICATIONS****Health:**

Eye Corrosion, Category 1  
Skin Corrosion/Irritation, Category 1A  
Respiratory Tract Irritation, Category 2A

**Physical:**

Corrosive to Metals, Category 2A

**GHS LABEL**

CORROSIVE. Causes severe irritation and burns to skin. Causes severe burns and damage to eyes. Mists and spray can be irritating to eyes, nose, throat, and respiratory tract. Harmful or fatal if swallowed.



Health hazard



CORROSIVE

**SIGNAL WORD: DANGER****HAZARD STATEMENTS**

H314: Causes severe skin burns and eye damage.  
H302: Harmful if swallowed.  
H335: May cause respiratory irritation.  
H290: May be corrosive to metals.

**PRECAUTIONARY STATEMENTS****Prevention:**

P102: Keep out of reach of children.  
P103: Read label before use.  
P262: Do not get in eyes, on skin, or on clothing.  
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P361+P364: Immediately take off all contaminated clothing/footwear and wash it before reuse.  
75990X3S: Keep only in original container. Store in a well-ventilated place. Keep container tightly closed.

**EMERGENCY OVERVIEW**

**IMMEDIATE CONCERNS:** Causes severe irritation and damage to eyes. Prolonged exposure can cause severe irritation to skin. Mists and vapors can cause irritation to eyes, nose, and throat. Ingestion can irritate mouth, throat, and other tissues.

**POTENTIAL HEALTH EFFECTS**

**EYES:** Corrosive to the eyes and may cause severe damage including tissue destruction and/or blindness.

**SKIN:** Contact can cause severe skin irritation and possibly burns.

**INGESTION:** Causes severe irritation, burns, and damage to mouth, throat, esophagus, and stomach. May be fatal if swallowed

**INHALATION:** Mists or sprays can be moderately to severely irritating to eyes and respiratory tract.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	Wt. %	CAS
Synthetic Sodium Silicate	4 - 5	Proprietary
Trisodium NTA	6 - 7	5064-31-3
Sodium Hydroxide	8 - 10	1310-73-2
Other ingredients are not hazardous or are present at levels that do not present a significant hazard.	> 77	mixture

**4. FIRST AID MEASURES**

**EYES:** Gently hold eyelids open and immediately flush eyes with water for at least 15 minutes or until pain eases. Remove contact lenses if possible. Seek medical attention, especially if there are visible burns or damage to or around eyes.

**SKIN:** Remove contaminated clothing and footwear. Flush off with copious amounts of running water. Seek medical attention for burns or if irritation persists or worsens.

**INGESTION:** Get immediate emergency medical attention (Call 911). Rinse mouth with water. Do not induce vomiting unless instructed to do so by poison center or physician. Give water, milk, or dilute citrus juice unless unconscious or convulsing. Keep patient warm, quiet, and comfortable and treat for shock.

**INHALATION:** If affected by vapors, spray or mist, move to fresh air. Seek medical attention if symptoms persist or worsen. If breathing is difficult, give oxygen and get immediate medical attention.

**SIGNS AND SYMPTOMS OF OVEREXPOSURE**

**EYES:** Severe irritation or pain, blurring and loss of vision, permanent damage.

**SKIN:** Causes moderate to severe irritation and possibly burns.

**INGESTION:** Causes severe irritation and burns to mouth, throat, esophagus, and GI tract. Can cause gastrointestinal discomfort, including nausea, vomiting, and diarrhea.

**INHALATION:** Spray or mists can severely irritate eyes, nose, throat, and respiratory tract causing coughing, sneezing, difficulty breathing, etc.

**NOTES TO PHYSICIAN:** Treat symptomatically. If burns are present, treat for thermal burns.

**5. FIRE FIGHTING MEASURES**

**FLAMMABLE CLASS:** Not Applicable. Flash point greater than 200 deg F.

**EXTINGUISHING MEDIA:** Not applicable - water based product. After water has evaporated, use water (fog or spray) or chemical foam on burning solids.

**HAZARDOUS COMBUSTION PRODUCTS:** After water has evaporated, burning solids will produce oxides of carbon and nitrogen, organonitrogen, and hydrocarbon residues and acrid fumes

**EXPLOSION HAZARDS:** Containers can burst if exposed to flames or high temperatures.

**FIRE FIGHTING PROCEDURES:** Wear self-contained breathing apparatus when fighting chemical fires. Use water fog or spray to cool containers.

**6. ACCIDENTAL RELEASE MEASURES**

**SMALL SPILL:** Contain and absorb spilled material. Dispose of contaminated absorbant properly. Wash spill area with water.

**LARGE SPILL:** Wear appropriate PPE. Remove uninvolved personnel from area. Stop flow. Contain spill and keep from entering sewer or surface waterways. Collect spill into suitable, properly labeled containers for use or disposal. Rinse spill area with water.

**7. HANDLING AND STORAGE**

**HANDLING:** Avoid contact with eyes and prolonged contact with skin. Read and understand product label and SDS before handling any chemical. Always wear recommended personal protective equipment. Follow label cautions and instructions.

**STORAGE:** Store in original containers in well ventilated area. Keep containers closed when not in use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
			EXPOSURE LIMITS	
			OSHA PEL	
Chemical Name			ppm	mg/m <sup>3</sup>
Sodium Hydroxide			TWA	2

**ENGINEERING CONTROLS:** Maintain sufficient ventilation in storage and use areas to prevent the accumulation of product vapors, spray, or mists. Provide local exhaust for enclosed areas.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Wear safety glasses or goggles and face shield when handling.

**SKIN:** Wear chemically resistant outer garments, impermeable boots and gloves when handling.

**RESPIRATORY:** Use with adequate ventilation. Wear a NIOSH approved air purifying respirator where vapors, mists or spray are excessive or exceed exposure limits.

**WORK HYGIENIC PRACTICES:** Wash thoroughly before eating, drinking, smoking, or using the facilities after handling any chemical product.

**OTHER USE PRECAUTIONS:** Working eyewash stations and safety showers should be located in or near all areas where chemicals are stored or used.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**ODOR:** pleasant, lemon

**APPEARANCE:** clear, red liquid

**pH:** > 13.0 (5%)

**PERCENT VOLATILE:** 60 - 65% (w/w)

**FLASH POINT AND METHOD:** > (200°F) TCC

**Notes:** No flashpoint

**VAPOR PRESSURE:** Same as water (approximately)

**VAPOR DENSITY:** Same as water (approximately)

**BOILING POINT:** greater than 212 deg F

**FREEZING POINT:** less than 32 deg F (0 deg C)

**SOLUBILITY IN WATER:** Complete in all proportions.

**EVAPORATION RATE:** Same as water (approximately)

**SPECIFIC GRAVITY:** 1.01 to 1.03

**VISCOSITY:** Same as water (approximately)

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** No

**HAZARDOUS POLYMERIZATION:** No

**POSSIBILITY OF HAZARDOUS REACTIONS:** Reacts with metals such as aluminum or zinc (releases hydrogen, a flammable gas). Reacts vigorously with concentrated acids (generating heat and steam)

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon, and nitrogen, organonitrogen, and hydrocarbon residues, a acid inorganic fumes

**INCOMPATIBLE MATERIALS:** Concentrated acids, oxidizing agents, concentrated ammonia

## 11. TOXICOLOGICAL INFORMATION

### ACUTE

**NOTES:** No toxicity data available for product

**EYE EFFECTS:** Severe irritation, pains, burns, temporary loss of vision.

**SKIN EFFECTS:** Prolonged or repeated contact may cause irritation, rash, dryness, and sensitization. Prolonged exposure may cause dizziness, drunkenness, nausea, drowsiness, and anesthetic effects.

#### CARCINOGENICITY

Chemical Name	IARC Status
Trisodium NTA	Group 2B, Possible Human Carcinogen

#### 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** No data

#### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Unused or undiluted product constitutes a hazardous waste. Follow all appropriate local, state, and Federal disposal regulations. Surfactants and other organic components are biodegradable. Collect and neutralize spent solutions and discharge to a waste water treatment facility.

**FOR LARGE SPILLS:** See Section 6

**EMPTY CONTAINER:** Triple rinse container thoroughly with water and recycle.

**RCRA/EPA WASTE INFORMATION:** Unused or undiluted product would constitute an RCRA regulated hazardous waste due to corrosivity (CORROSIVE WASTE - D002, pH equal to or greater than 12.5)

#### 14. TRANSPORT INFORMATION

##### DOT (DEPARTMENT OF TRANSPORTATION)

**PROPER SHIPPING NAME:** NA1760, Compound, Cleaning liquid (contains sodium hydroxide), 8, II

**REPORTABLE QUANTITY (RQ) UNDER CERCLA:** greater than 10000 lbs (as supplied)

**PLACARDS:** Corrosive

**LABEL:** Corrosive

##### VESSEL (IMO/IMDG)

**SHIPPING NAME:** UN1824, SODIUM HYDROXIDE SOLUTION, N.O.S., 8, PG II

**PLACARDS:** Corrosive

**LABEL:** Corrosive

#### 15. REGULATORY INFORMATION

##### UNITED STATES

##### DOT LABEL SYMBOL AND HAZARD CLASSIFICATION



Corrosive

##### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

**311/312 HAZARD CATEGORIES:** Acute health hazard (eye and skin irritation/corrosion)

**FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** Yes

**313 REPORTABLE INGREDIENTS:** Sodium Hydroxide

##### CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Wt.%	CERCLA RQ
Sodium Hydroxide	8 - 10	1,000

**CERCLA RQ:** greater than 10000 lbs (as supplied)

**EPA**

**EPA RQ INGREDIENT:** Sodium Hydroxide

**EPA RQ PRODUCT:** greater than 10000 lbs (as supplied)

**TSCA (TOXIC SUBSTANCE CONTROL ACT)**

Chemical Name	CAS
Synthetic Sodium Silicate	Proprietary
Trisodium NTA	5064-31-3
Sodium Hydroxide	1310-73-2

**TSCA STATUS:** All ingredients are included on the TSCA Inventory or are exempt

**CALIFORNIA PROPOSITION 65:** Contains a substances or substances known to the State of California to cause cancer

Chemical Name	Wt.%	Listed
Trisodium NTA	6 - 7	Cancer

**16. OTHER INFORMATION**

**REASON FOR ISSUE:** Convert to GHS format


**APPROVED BY:** H. Zeller

**PREPARED BY:** CSCC **Date Prepared:** 07/01/2015

**HMIS RATING**

HEALTH	<input type="checkbox"/>	3
FLAMMABILITY		0
PHYSICAL HAZARD		0
PERSONAL PROTECTION	<input checked="" type="checkbox"/>	

**NFPA CODES**



**GENERAL STATEMENTS:** Amounts specified herein (other than for regulatory purposes) are typical and do not represent a specification. Unspecified or unlisted components are proprietary, do not present a hazard at levels present, are not hazardous, and/or are present at levels below reportable limits. Exact percentage values for all components are proprietary in accordance with 29 CFR 1910.1200(i)

**MANUFACTURER DISCLAIMER:** To the best of our knowledge, the information contained herein is accurate. However, no liability whatsoever is assumed for its accuracy and/or completeness. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown health or physical hazards and should be used with caution. Certain hazards are described herein, but no guarantee is made that these are the only hazards associated with the material that exist.