

SAFETY DATA SHEET



Date Prepared : 07/06/2015
SDS No : 5408

PASSIVE 8

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PASSIVE 8
GENERAL USE: Stainless Steel Passivation Solution
PRODUCT CODE: 5408

MANUFACTURER

JOHN-HENRY Enterprises, Inc.
2813 Richland Ave
Metairie, LA 70002
Emergency Contact: H. Zeller
Emergency Phone: 504-888-8989

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS**Health:**

Eye Corrosion, Category 1
Skin Corrosion, Category 1

Physical:

Corrosive to Metals, Category 2

GHS LABEL

CORROSIVE. Causes severe irritation and burns to skin. Causes severe burns and damage to eyes. Mists and spray are highly irritating to eyes, nose, throat, and respiratory tract. Harmful or fatal if swallowed. Reacts with metals and generates hydrogen, a flammable gas.



CORROSIVE



Oxidizer



Health hazard

SIGNAL WORD: DANGER**HAZARD STATEMENTS**

H314: Causes severe skin burns and eye damage.
H300 + H310 + H330: Fatal if swallowed, in contact with skin or if inhaled.
H290: May be corrosive to metals.

PRECAUTIONARY STATEMENTS**General:**

P102: Keep out of reach of children.
P103: Read label before use.
P202: Do not handle until all safety precautions have been read and understood.

Prevention:

P262: Do not get in eyes, on skin, or on clothing.
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
P220: Keep away from clothing and other combustible materials.
P281: Use personal protective equipment as required.
P264: Wash thoroughly after handling.

Response:

P331: Do NOT induce vomiting.
P360: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

P363: Wash contaminated clothing before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Storage:

75990X3S: Keep only in original container. Store in a well-ventilated place. Keep container tightly closed.

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: Causes severe irritation and burns to skin. Causes severe irritation, burns, and damage to eyes. Mists and vapors can cause irritation to eyes, nose, throat, and respiratory tract. Ingestion can damage mouth, throat, and other tissues and may be fatal.

POTENTIAL HEALTH EFFECTS

EYES: Corrosive to the eyes and may cause severe damage including tissue destruction and/or blindness.

SKIN: Corrosive, causes skin burns and severe irritation

SKIN ABSORPTION: Skin absorption can damage target organs and may be fatal.

INGESTION: Causes irritation and burns to mouth, throat, esophagus, and gastrointestinal system. May cause gastrointestinal discomfort, including nausea, vomiting, diarrhea, etc, and may be fatal.

INHALATION: Mists or sprays can be moderately to severely irritating to eyes and respiratory tract.

TARGET ORGAN STATEMENT: Lungs, mucous membranes, respiratory tract, skin, eyes, and teeth

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS
Nitric Acid	25 - 30	7697-37-2
Other ingredients are not hazardous or are present at levels that do not present a significant hazard.	> 70	000-00-1

4. FIRST AID MEASURES

EYES: Treat eye contact and a medical emergency (call 911). Gently hold eyelids open and immediately flush eyes with water for at least 15 minutes or until pain eases. Remove contact lenses if possible. Cover eyes loosely with sterile dressing and SEEK IMMEDIATE MEDICAL ATTENTION.

SKIN: Flush area with copious amounts of water while removing contaminated clothing and footwear. Continue flushing until discomfort eases. Treat burns as if caused by heat or flame. Seek immediate medical attention for extensive burns or exposure. Seek medical attention if irritation persists or worsens

INGESTION: Get immediate medical attention (call 911). Rinse mouth with water. Do not induce vomiting unless instructed to do so by poison center or physician. Give patient water and milk of magnesia or other antacid tablets unless unconscious or convulsing. Keep patient warm and comfortable. Treat for shock.

INHALATION: If affected by vapors, spray or mist, move to fresh air. Seek medical attention if symptoms persist or worsen. Give oxygen if breathing is difficult and seek prompt medical attention.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Severe irritation or pain, blurring and loss of vision, permanent damage.

SKIN: Causes severe irritation and burns.

SKIN ABSORPTION: Can be absorbed through the skin and damage target organs. Skin absorption may be fatal.

INGESTION: Harmful or fatal if swallowed. Can cause irritation, gastric upset, burns and damage (corrosion) to mouth, throat, esophagus and gastrointestinal tract.

INHALATION: Spray or mists can severely irritate eyes, nose, throat, and respiratory tract causing coughing, sneezing, difficulty breathing, etc.

NOTES TO PHYSICIAN: Treat symptomatically. Glycerine can be applied to skin burns to relieve pain and stop further damage. Observe for toxic effects resulting from inhalation and/or skin contact and treat appropriately.

ADDITIONAL INFORMATION: First aider protection: Wear safety glasses, impermeable gloves, and, if necessary, an acid absorbing respirator or SCBA when rescuing and treating victims. Mouth-to-mouth resuscitation may be dangerous. Take appropriate protective measures.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Not Applicable - Water based product with no flashpoint.

GENERAL HAZARD: Product is a moderate oxidizer. Avoid exposure of concentrated product to organic materials. May accelerate combustion

of burning materials.

EXTINGUISHING MEDIA: Water

HAZARDOUS COMBUSTION PRODUCTS: Toxic acidic fumes

EXPLOSION HAZARDS: Containers can burst if exposed to flames or high temperatures releasing acidic, oxidizing steam and mists.

FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus when fighting chemical fires. Use water fog or spray to cool containers and/or disperse product vapors.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Wear recommended PPE. Ventilate the area and remove uninvolved personnel. Contain and absorb spilled material (do not use organic absorbents such as paper. Use clay or other inorganic absorbents. Dispose of contaminated absorbant properly. Wash spill area with water.

LARGE SPILL: Wear appropriate PPE. Remove uninvolved personnel from area. Stop flow. Contain spill and keep from entering sewer or surface waterways. Collect spill into suitable, properly labeled containers for use or disposal. Do not absorb spilled material with organic absorbents (i.e.; paper). Rinse spill area with water.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Do not discharge to or allow to enter surface waterways or public sewers

7. HANDLING AND STORAGE

HANDLING: Avoid contact with eyes and skin. Avoid exposure to mists or sprays. Read and understand product label and SDS before handling any chemical. Always wear recommended personal protective equipment. Follow label cautions and instructions.

STORAGE: Store in original containers in well ventilated area away from oxidizable organic materials (paper, fabric), concentrated alkalis, ammonia, and reducing agents. Keep containers closed when not in use. Store out of direct sunlight and away from sources of heat.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)					
		EXPOSURE LIMITS			
		OSHA PEL		ACGIH TLV	
Chemical Name		ppm	mg/m ³	ppm	mg/m ³
Nitric Acid	TWA	2	5	2	5.2
	STEL			4	10

ENGINEERING CONTROLS: Maintain sufficient ventilation in storage and use areas to prevent the accumulation of product vapors, spray, or mists. Provide local exhaust for enclosed areas.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses or goggles and face shield when handling.

SKIN: Wear rubber, latex, or other chemical resistant gauntlet gloves and boots

RESPIRATORY: Use with adequate ventilation. Wear a NIOSH approved acid absorbing, air purifying respirator where mists or spray are excessive or exceed exposure limits.

PROTECTIVE CLOTHING: Wear chemically resistant full length apron and impermeable boots when handling.

WORK HYGIENIC PRACTICES: Wash thoroughly before eating, drinking, smoking, or using the facilities after handling any chemical product.

OTHER USE PRECAUTIONS: Working eyewash stations and safety showers should be located in or near all areas where chemicals are stored or used.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: acidic

APPEARANCE: clear, colorless liquid

pH: < 2

Notes: (5% in water)

PERCENT VOLATILE: greater than 99%

FLASH POINT AND METHOD: No flashpoint

VAPOR PRESSURE: Same as water (approximately)

VAPOR DENSITY: Same as water (approximately)

BOILING POINT: greater than 212 deg F

FREEZING POINT: less than 32 deg F (0 deg C)

SOLUBILITY IN WATER: Complete in all proportions.

SPECIFIC GRAVITY: 1.09 to 1.110

10. STABILITY AND REACTIVITY

REACTIVITY: Reactive with alkaline materials. Reacts with metals. Reacts (oxidizes) with organic materials.

HAZARDOUS POLYMERIZATION: No

CONDITIONS TO AVOID: Avoid exposure to sources of heat

POSSIBILITY OF HAZARDOUS REACTIONS: Reacts with metals such as aluminum or zinc (releases hydrogen, a flammable gas). Reacts vigorously with concentrated acids (generating heat and steam). Reacts with organic materials and may cause or accelerate combustion.

HAZARDOUS DECOMPOSITION PRODUCTS: Acidic fumes, nitrogen oxides

INCOMPATIBLE MATERIALS: Strong alkalis (bases), chlorine bleach, oxidizing and reducing agents, metals such as zinc or magnesium (releases hydrogen gas), organic materials (i.e.; paper, cloth, etc.)

11. TOXICOLOGICAL INFORMATION

ACUTE

NOTES: No toxicity data available for product

EYE EFFECTS: Severe pain, corrosion of tissues

SKIN EFFECTS: Severe irritation and burns, permanent damage.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No data

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Unused or undiluted product constitutes a hazardous waste. Follow all appropriate local, state, and Federal disposal regulations. Collect and neutralize spent solutions and discharge to a waste water treatment facility.

FOR LARGE SPILLS: See Section 6

EMPTY CONTAINER: Triple rinse container thoroughly with water and recycle.

RCRA/EPA WASTE INFORMATION: Unused or undiluted product would constitute an RCRA regulated hazardous waste due to corrosivity (CORROSIVE WASTE - D002, pH equal to or less than 2.0)

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: UN2031, NITRIC ACID SOLUTION, N.O.S., 8, II

REPORTABLE QUANTITY (RQ) UNDER CERCLA: 3500 lbs (as supplied)

VESSEL (IMO/IMDG)

SHIPPING NAME: UN2031, NITRIC ACID SOLUTION (contains less than 70% nitric acid), 8, PG II

15. REGULATORY INFORMATION

UNITED STATES

DOT LABEL SYMBOL AND HAZARD CLASSIFICATION



Corrosive

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**311/312 HAZARD CATEGORIES:** Acute health hazard (eye and skin irritation/corrosion), Reactivity, fire hazard**FIRE:** Yes **PRESSURE GENERATING:** No **REACTIVITY:** Yes **ACUTE:** Yes **CHRONIC:** No**313 REPORTABLE INGREDIENTS:** Nitric acid**EPCRA SECTION 313 SUPPLIER NOTIFICATION**

Chemical Name	Wt.%	CAS
Nitric Acid	25 - 30	7697-37-2

302/304 EMERGENCY PLANNING**EMERGENCY PLAN:** Nitric acid**THRESHOLD QUANTITY:** 3500 lbs (as**CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)**

Chemical Name	Wt.%	CERCLA RQ
Nitric Acid	25 - 30	1,000

CERCLA RQ: 3500 lbs (as supplied)**EPA****EPA RQ INGREDIENT:** Nitric acid**EPA RQ PRODUCT:** 3500 lbs (as supplied)**TSCA (TOXIC SUBSTANCE CONTROL ACT)**


Chemical Name	CAS
Nitric Acid	7697-37-2

TSCA STATUS: All ingredients are included on the TSCA Inventory or are exempt**CLEAN AIR ACT**

Chemical Name	Wt.%	CAS
Nitric Acid	25 - 30	7697-37-2

CALIFORNIA PROPOSITION 65: Contains no substances known to the State of California to cause cancer, birth defects, or reproductive harm.**CLEAN WATER ACT:** CWA 311: Nitric acid**16. OTHER INFORMATION****REASON FOR ISSUE:** Convert to GHS format**APPROVED BY:** H. Zeller**PREPARED BY:** CSCC **Date Prepared:** 07/06/2015**HMIS RATING**

HEALTH	<input type="checkbox"/>	3
FLAMMABILITY	<input type="checkbox"/>	0
PHYSICAL HAZARD	<input type="checkbox"/>	0
PERSONAL PROTECTION	<input type="checkbox"/>	

NFPA CODES**GENERAL STATEMENTS:** Amounts specified herein (other than for regulatory purposes) are typical and do not represent a specification.

Unspecified or unlisted components are proprietary, do not present a hazard at levels present, are not hazardous, and/or are present at levels below reportable limits. Exact percentage values for all components are proprietary in accordance with 29 CFR 1910.1200(i)

MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, no liability whatsoever is assumed for its accuracy and/or completeness. Final determination of the suitability of any material is the sole responsibility of the user.

All materials may present unknown health or physical hazards and should be used with caution. Certain hazards are described herein, but no guarantee is made that these are the only hazards associated with the material that exist.