

SAFETY DATA SHEET



Date Prepared : 07/09/2015
 SDS No : 9126
 Date Revised : 07/09/2015
 Revision No : 1

FOAM-X

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: FOAM-X
GENERAL USE: Silicone Defoamer
PRODUCT CODE: 9126

MANUFACTURER

JOHN-HENRY Enterprises, Inc.
 2813 Richland Ave
 Metairie, LA 70002
Emergency Contact: H. Zeller
Emergency Phone: 504-888-8989

24 HR. EMERGENCY TELEPHONE NUMBERS

US/Canada: 800-535-5053

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS**Health:**

Eye Irritation, Category 4
 Skin Irritation, Category 4

GHS LABEL

No applicable GHS label

Hazard Statement: Irritating to eyes. Prolonged or repeated contact may irritate skin.

SIGNAL WORD: WARNING

HAZARD STATEMENTS

H320: Causes eye irritation.
 H316: Causes mild skin irritation.

PRECAUTIONARY STATEMENTS**General:**

P102: Keep out of reach of children.
 P103: Read label before use.

Prevention:

2828VC61: Avoid eye contact

Storage:

75990X3S: Keep only in original container. Store in a well-ventilated place. Keep container tightly closed.

POTENTIAL HEALTH EFFECTS

EYES: Contact may cause eye irritation.

SKIN: Prolonged or repeated exposure may cause skin irritation

INGESTION: May cause gastrointestinal discomfort, including nausea, vomiting, diarrhea, etc

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | Wt.% | CAS |
|--|------|---------|
| All components are not hazardous or are present at levels that do not present a hazard to users. | > 99 | mixture |

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for 15 minutes or until discomfort eases. Get medical attention if irritation persists.

SKIN: Wash off with soap and water.

INGESTION: Get immediate medical attention (call 911). Keep patient warm, calm, and quiet. Rinse mouth with water. DO NOT induce vomiting unless instructed to do so by poison center or physician.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Slight to moderate irritation, including stinging, burning, tearing, and/or temporary blurring of vision.

SKIN: Prolonged or repeated contact may produce mild irritation, including redness, burning or itching, rash, etc.

INGESTION: Causes irritation to mouth, throat, esophagus, and GI tract. Can cause gastrointestinal discomfort, including nausea, vomiting, and diarrhea.

INHALATION: Not a likely route of exposure.

NOTES TO PHYSICIAN: Treat symptomatically.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Not Applicable - Water based product with no flashpoint.

EXTINGUISHING MEDIA: Not applicable - water based product. After water has evaporated, use water (fog or spray) or chemical foam on burning solids.

HAZARDOUS COMBUSTION PRODUCTS: After water has evaporated, burning solids will produce oxides of carbon and silicon, organosilicon and hydrocarbon residues and formaldehyde.

EXPLOSION HAZARDS: Containers can burst if exposed to flames or high temperatures.

FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus when fighting chemical fires. Use water fog or spray to cool containers.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Wear recommended PPE. Contain and absorb spilled material. Dispose of contaminated absorbant properly. Wash spill area with water.

LARGE SPILL: Wear appropriate PPE. Remove uninvolved personnel from the area. Stop and contain flow and keep spilled material from entering sewer or surface waterways. Collect spilled material and store in suitable, properly labeled containers for use or disposal. Rinse spill area thoroughly with water or a dilute alkaline solution. Caution: Spill area may be slippery if residues are not removed.

7. HANDLING AND STORAGE

HANDLING: Avoid contact with eyes and prolonged contact with skin. Read and understand product label and SDS before handling any chemical. Always wear recommended personal protective equipment. Follow label cautions and instructions.

STORAGE: Keep in sealed, original containers. Store in a dry area.

STORAGE TEMPERATURE: Keep from freezing. Minimum storage temperature - 40 deg F

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Maintain sufficient ventilation in storage and use areas to prevent the accumulation of product vapors, spray, or mists. Provide local exhaust for enclosed areas.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Avoid eye contact. Wear safety glasses or goggles

SKIN: Wear rubber, latex, or other chemical resistant gauntlet gloves.

WORK HYGIENIC PRACTICES: Wash thoroughly before eating, drinking, smoking, or using the facilities after handling any chemical product.

OTHER USE PRECAUTIONS: Working eyewash stations and safety showers should be located in or near all areas where chemicals are stored or used.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: mild

APPEARANCE: opaque, white, viscous liquid

pH: 7 to 8

PERCENT VOLATILE: 85 - 90% (w/w)

FLASH POINT AND METHOD: No flashpoint

VAPOR PRESSURE: Same as water (approximately)

VAPOR DENSITY: Same as water (approximately)

BOILING POINT: approx. 212 deg F

FREEZING POINT: approx. 32 deg F

SOLUBILITY IN WATER: disperses/emulsifies

EVAPORATION RATE: Same as water (approximately)

SPECIFIC GRAVITY: 0.97 to 0.99

10. STABILITY AND REACTIVITY

REACTIVITY: No

HAZARDOUS POLYMERIZATION: No

STABILITY: Stable under recommended storage conditions

CONDITIONS TO AVOID: Keep from freezing (degrades product)

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon and silicon, organosilicon and hydrocarbon residues, formaldehyde

INCOMPATIBLE MATERIALS: oxidizing agents.

11. TOXICOLOGICAL INFORMATION

ACUTE

NOTES: No toxicity data available for product

EYE EFFECTS: Slight to mild irritation, including stinging, tearing, and temporary blurring of vision

SKIN EFFECTS: Prolonged or repeated contact may cause irritation, rash, dryness, and sensitization.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No data

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Not regulated as hazardous waste. Unused material may be reclaimed. Dispose in accordance with applicable local, state, and Federal regulations. Spent solution may be discharged to sanitary sewer

FOR LARGE SPILLS: See Section 6

EMPTY CONTAINER: Triple rinse container thoroughly with water and recycle.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: NOT REGULATED

VESSEL (IMO/IMDG)

SHIPPING NAME: NOT DANGEROUS GOODS

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Acute health hazard (eye irritation)

FIRE: No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: All ingredients are included on the TSCA Inventory or are exempt

CALIFORNIA PROPOSITION 65: Contains no substances known to the State of California to cause cancer, birth defects, or reproductive harm.

16. OTHER INFORMATION

REASON FOR ISSUE: Convert to GHS format

APPROVED BY: H. Zeller


PREPARED BY: CSCC **Date Revised:** 07/09/2015

REVISION SUMMARY: This SDS replaces the 07/09/2015 SDS. Revised: **Section 1:** PRODUCT CODE.

HMIS RATING

| | | |
|----------------------------|-------------------------------------|----------|
| HEALTH | <input type="checkbox"/> | 1 |
| FLAMMABILITY | <input type="checkbox"/> | 0 |
| PHYSICAL HAZARD | <input type="checkbox"/> | 0 |
| PERSONAL PROTECTION | <input checked="" type="checkbox"/> | X |

NFPA CODES



GENERAL STATEMENTS: Amounts specified herein (other than for regulatory purposes) are typical and do not represent a specification.

Unspecified or unlisted components are proprietary, do not present a hazard at levels present, are not hazardous, and/or are present at levels below reportable limits. Exact percentage values for all components are proprietary in accordance with 29 CFR 1910.1200(i)

MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, no liability whatsoever is assumed for its accuracy and/or completeness. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown health or physical hazards and should be used with caution. Certain hazards are described herein, but no guarantee is made that these are the only hazards associated with the material that exist.